

# PRR Logging Quiz – Keep Your Program in Ship-Shape

Scientific Conference



February 1-4 • Tampa

Mike Vaardahl, DPM, FACFAS; JT Marcoux, DPM, FACFAS

*Harry Schneider, DPM, FACFAS and Cody Togher, DPM,  
AACFAS, Moderators*



American College of  
Foot and Ankle Surgeons®

*Proven leaders. Lifelong learners. Changing lives.*

# Presenter Disclosures

## **JT Marcoux, DPM, FACFAS**

Chair - CPME

Chair - ABFAS Case review committee

CREC – Ex officio

## **Harry P. Schneider, DPM, FACFAS**

Speaker – Smith and Nephew

CPME – RRC, Council, SBRC, SBRC ad hoc

ABFAS – Didactic Review Group, case review committee

## **Cody Togher, DPM, FACFAS**

Consultant – Ossio and Vilex

## **Mike Vaardahl, DPM, FACFAS**

PRR – Board Member

RRC on behalf of ABFAS

# Common RRC Errors

# Amputation 5<sup>th</sup> toe with I&D 1<sup>st</sup> MPTJ

- A. Log 5<sup>th</sup> toe amputation only (1.8)
- B. Log I&D only (3.8)
- C. Log both I&D and amputation (3.8 + 1.8)
- D. Log 5<sup>th</sup> toe amputation + I&D + management of bone/joint infection distal to tarsometatarsal joint (1.8 + 3.8 + 4.11)

# 5<sup>th</sup> toe derotational arthroplasty

- A. Plastic surgery technique (3.12)
- B. Plastic surgery technique + repair of hammertoe (3.12 + 1.3)
- C. Repair of hammertoe only (1.3)
- D. Other osseous digital procedure (1.13)

# Secondary repair of Achilles with removal of bone spur/Haglund's (use of anchor system).

- A. Osteotomy of calcaneus (5.2.5)
- B. Osteotomy of calcaneus with repair of Achilles (5.2.5 + 5.3.1)
- C. Detach/Reattachment of Achilles (4.19)
- D. Osteotomy of calcaneus (4.1) with tendon augmentation (5.1.6)

# Removal of Posterior Calcaneal Spur

- A. Rearfoot Osteotomy (5.2.5)
- B. Partial Ostectomy (4.1)
- C. Corticotomy/Callus Distraction (5.2.10)
- D. Other osseous Rearfoot (5.2.11)

# Tarsometatarsal ORIF 1-3 with plate fixation

- A. Open management tarsometatarsal fracture/dislocation (4.13)
- B. Open management of tarsometatarsal fracture/dislocation x 3
- C. Open repair of midfoot fracture (5.4.1)
- D. Open treatment of tarsometatarsal fracture (4.13) + ORIF lesser metatarsal fracture (4.8)



# ORIF PER4 with syndesmotic repair

- A. ORIF ankle fracture + repair of acute ligamentous injury (5.4.3 + 5.3.2)
- B. ORIF ankle fracture (5.4.3)
- C. ORIF ankle fracture + acute tendon injury (5.4.3 + 5.3.1)
- D. ORIF ankle fracture + open repair of dislocation (5.4.3 + 5.3.6)

# 1<sup>st</sup> MTPJ decompressional osteotomy with cheilectomy

- A. Cheilectomy + distal first metatarsal osteotomy (2.2.1 + 2.2.3)
- B. Double osteotomy (2.1.10)
- C. Joint salvage with phalangeal osteotomy (2.2.2)
- D. Joint salvage with distal first metatarsal osteotomy (2.2.3)

# Lapidus with intercuneiform screw

- A. Bunionectomy with 1<sup>st</sup> TMT fusion (2.1.6)
- B. Bunionectomy with 1<sup>st</sup> TMT fusion + midfoot fusion (2.1.6 + 5.2.4)
- C. Double osteotomy/and/or arthrodesis for hallux valgus (2.1.10)
- D. Other first ray not listed above (2.3.10)