



Classic Article Series: Diabetes

Apelqvist, J., Bakker, K., Van Houtum, W.H., Nabuurs-Franssen, M.H., and Schaper, N.C.

“International Consensus on the Diabetic Foot.” *The International Working Group on the Diabetic Foot*, 1999.

Armstrong, D.G., Nguyen, H.C., Lavery, L.A., van Schie, C.H., Boulton, A.J., and Harkless, L.B.

“Off-loading the Diabetic Foot Wound: A Randomized Clinical Trial.” *Diabetes Care* 2001; 24:1019-22

Attinger, C.E., Janis, J.E., Steinberg, J., et al. “Clinical Approach to Wounds: Debridement and Wound Bed Preparation Including the Use of Dressings and Wound Healing Adjuvants.” *Plast Reconstr Surg* 2006;117(7 Suppl):72S-109

Boulton, A.J., Armstrong, D.G., Albert, S.F. et al. “American Diabetes Association; American Association of Clinical Endocrinologists. Comprehensive Foot Examination and Risk Assessment: A Report of the Task Force of the Foot Care Interest Group of the American Diabetes Association, with Endorsement by the American Association of Clinical Endocrinologists.” *Diabetes Care* 2008;31:1679-1685

Diabetes Control and Complications Trial Research Group. “The Effect of Intensive Treatment of Diabetes on the Development and Progression of Long-Term Complications in Insulin-Dependent Diabetes Mellitus.” *N Engl J Med* 1993;329(14):977-986.

Dyck, P.J., Kratz, K.M., Karne, J.L. et al. “The prevalence by Staged Severity of Various Types of Diabetic Neuropathy, Retinopathy, and Nephropathy, a Population-Based Cohort: the Rochester Diabetic Neuropathy Study.” *Neurology* 1993; 43(3):817-824.

“Effects of Intensive Glucose Lowering in Type 2 Diabetes. The Action to Control Cardiovascular Risk in Diabetes Study Group.” *N Engl J Med* 2008; 358:2545-2559.

Eichenholtz, S.N. “Charcot Joints.” Charles C. Thomas Publisher; 1966.

Grayson, M.L., Gibbons, G.W., Balogh, K. et al. “Probing to Bone in Infected Pedal Ulcers: a Clinical Sign of Underlying Osteomyelitis in Diabetic Patients.” *J Am Med Assoc.* 1995; 273:721-723.

Jude, E.B., Oyibo, S.O., Chalmers, H. et al. “Peripheral Arterial Disease in Diabetic and Non-Diabetic Patients: a Comparison of Severity and Outcome.” *Diabetes Care* 2001; 24:1433-1437.

Kalani, M., Drismar, K., Fagrell, B. et al. "Transcutaneous Oxygen Tension and Toe Blood Pressure as Predictors for Outcome of Diabetic Foot Ulcers." *Diabetes Care* 1999;22(1):147-151.

Lavery, L.A., Armstrong, D.G. and Harkless, L.B. "Classification of Diabetic Foot Wound." *J Foot Ankle Surg* 1996;35(6):528-531.

Lavery, L.A., Armstrong, D.G., Peters, E.J.G. et al. "Probe-to-Bone Test for Diagnosing Diabetic foot osteomyelitis. Reliable or relic. *Diabetes Care* 2007; 30(2):270-274.

Lipsky, B.A., Berendt, A.R., Cornia, P.B. et al. "Infectious Disease Society of America Clinical Practice Guideline for Diagnosis and Treatment of Diabetic Foot Infections." *Clin Infect Dis* 2012;54:e132-e173

LoGerfo, F.W., Coffman, J.D. "Current Concepts. Vascular and Microvascular Disease of the Foot in Diabetes. Implications for Foot Care." *New Engl J Med* 1984; 25:1615-19

Mueller, M.J., Sinacore, D.R., Hastings, M.K., Strube, M.J. and Johnson, J.E. "Effects of Achilles Tendon Lengthening on Neuropathic Plantar Ulcers. A Randomized Clinical Trial." *J Bone Joint Surg Am* 2003; 85:1436-45

Pinzur, M.S., Sage, R., Stuck, R., Kaminsky, S. and Zmuda, A. "A Treatment Algorithm for Neuropathic Charcot Midfoot Deformity". *Foot Ankle Int.* 1993;14:189-197

Pinzur, M.S., Sage, R., Stuck R, et al. "Transcutaneous Oxygen as a Predictor of Wound Healing in Amputations of the Foot and Ankle". *Foot Ankle* 1992;13(5)271-272.

Rabjohn, I., Roberts, K., Troiano, M. and Schoenhaus, H. "Diagnostic and Prognostic Value of Erythrocyte Sedimentation Rate in Contiguous Osteomyelitis of the Foot and Ankle". *J Foot Ankle Surg*. 2007;46(4): 230-237.

Ramsey, S.D., Newton, K., Blough, D., McCulloch, D.K., Sandhu, N. and Reiber, G.E. "Incidence, Outcomes, and Cost of Foot Ulcers in Patients with Diabetes". *Diabetes Care* 1999;22(3):382-7

Sheehan, P., Jones, P., Caselli, A. et al. "Percent Change in Wound Area of Diabetic Foot Ulcers Over a 4 Week Period is a Robust Predictor of Complete Healing in a 12 Week Prospective Trial". *Diabetes Care*. 2003; 26:1879-1882.

Wagner, F.W. "The Diabetic Foot". *Orthopedics* 1987;10(1):163-172.

Wukich DK, Lowery NJ, McMillen RL, Frykberg RG. Postoperative infection rates in foot and ankle surgery: a comparison of patients with and without diabetes mellitus. *J Bone Joint Surg*; 2010;92A:287-295